


AMORTIGUADORES ANTIVIBRACIÓN - SILENTBLOCK

FIJACION POR TORNILLOS




ESPECIAL TIPO DIABOLO TD

REFERENCIA	D m/m	H m/m	D1 m/m	ROSCA	L m/m	FLECHA mm.	CARGA Kg.
RVS001	20	20	12	M-6	18	2,5	15
RVS002	22	25	17	M-6	14	2	20
RVS003	30	25	24	M-8	20	4	40
RVS004	35	40	26	M-8	17	5	30
RVS005	40	28	22	M-10	25	5	50
RVS008	57	44	25	M-8	20	5	60
RVS010	60	43	35	M-10	30	4	70
RVS011	70	56	50	M-12	35	6	220
RVS012	80	63	70	M-14	35	8	400
RVS013	90	77	79	M-16	45	7	500
RVS014	108	85	95	M-16	45	10	800
RVS015	130	96	115	M-16	45	13	1400

SOLANO


FIJACION AGUJEROS ROSCADOS



ESPECIAL TIPO DIABOLO HD

REFERENCIA	D m/m	H m/m	D1 m/m	ROSCA	FLECHA mm.	CARGA Kg.
RVS069	20	20	12	M-6	2,5	15
RVS070	30	25	24	M-8	4	40
RVS071	40	28	22	M-10	5	60
RVS072	60	36	37	M-10	5	90
RVS016	60	43	35	M-10	4	70
RVS073	60	60	51	M-10	6	150
RVS017	70	56	50	M-12	6	220
RVS018	80	65	70	M-12	8	400
RVS019	90	50	80	M-12	4	800
RVS020	90	77	79	M-12	7	500
RVS021	108	80	95	M-16	10	800
RVS022	130	96	115	M-16	13	1400


FIJACION POR TORNILLOS



SOPORTES SERIE ALTA

REFERENCIA	D m/m	H m/m	Ø ESPIGA	L m/m	ZONA ÓPTIMA TRABAJO Kg.
RVS110	48	23	M-8	40	0-80
RVS111	60	25	M-10	83	50-120
RVS112	75	30	M-12	90	80-150
RVS113	90	33	M-12	90	120-300
RVS114	115	38	M-16	110	250-500

FIJACION POR TORNILLOS



TOPES PROGRESIVOS MACHO

REFERENCIA	D m/m	H m/m	Ø ESPIGA	L m/m	CARGA Kg.
RVS115	20	20	M-6	18	70
RVS116	25	20	M-8	20	100
RVS117	30	30	M-6	17	150
RVS118	30	30	M-8	20	150
RVS119	50	48	M-10	25	380
RVS120	50	64	M-8	35	370

*Bajo Pedido podemos fabricar otras medidas




REFERENCIA	D m/m	H m/m	ROSCA	L m/m	FLECHA mm.	CARGA Kg.
RVS028	10	10	M-4	10	2	10
RVS029	10	15	M-4	10	3	8
RVS030	16	8	5*	12	1,5	15
RVS031	16	10	5*	12	1,5	20
RVS032	16	15	5*	12	3	20
RVS033	16	20	5*	12	4	20
RVS034	20	10	M-6	13	2	30
RVS035	20	15	M-6	13	3	25
RVS036	20	20	M-6	18	4	25
RVS037	20	25	M-6	18	5	25
RVS038	25	10	M-8	20	2,5	50
RVS039	25	15	M-8	20	3	50
RVS040	25	20	M-8	20	4	50
RVS041	25	22	M-8	20	4	45
RVS042	25	25	M-8	20	5	40
RVS043	25	30	M-8	20	6	35
RVS044	30	10	M-8	20	2	90
RVS045	30	15	M-8	20	3	90
RVS046	30	20	M-8	20	4	90
RVS047	30	25	M-8	20	5	85
RVS048	30	30	M-8	20/35	6	80
RVS049	30	40	M-8	20	8	60
RVS050	35	35	M-8	20	8	90
RVS051	40	20	M-10	25	4	160
RVS052	40	25	M-10	25	6	155
RVS053	40	30	M-8	20/35	8	150
RVS054	40	40	M-10	25	10	120
RVS055	40	45	M-10	25	12	110
RVS056	50	20	M-10	25	4	250
RVS057	50	30	M-10	25	8	250
RVS058	50	35	M-10	25	9	230
RVS059	50	40	M-10	25	10	220
RVS060	50	45	M-10	25	11	210
RVS061	50	50	M-10	25	12	200
RVS062	60	25	M-10	30	5	400
RVS063	60	35	M-10	30	7	350
RVS064	60	45	M-10	30	10	300
RVS065	60	60	M-10	30	12	250
RVS066	70	35	M-10	30	7	450
RVS067	70	50	M-10	30	10	350
RVS068	70	70	M-10	30	13	300
RVS122	80	30	M-14	35	5,5	900
RVS123	80	40	M-14	35	9	600
RVS124	80	50	M-14	35	10	750
RVS125	80	70	M-14	35	15	550
RVS109	100	75	M-16	45	17	1000

TOPAVI

SOPORTE CILÍNDRICO SERIE T


FIJACIÓN POR TORNILLOS



REFERENCIA	D m/m	H m/m	ROSCA	FLECHA mm.	CARGA Kg.
RVS074	10	10	M-4	2	10
RVS075	10	15	M-4	3	8
RVS076	13	15	M-5	3	10
RVS077	13	20	M-5	3,5	8
RVS078	16	15	M-5	3	20
RVS079	16	20	M-5	4	20
RVS080	20	15	M-6	3	25
RVS097	20	20	M-6	4	25
RVS098	20	25	M-6	5	25
RVS081	20	30	M-6	7	25
RVS082	25	15	M-8	3	50
RVS083	25	20	M-8	4	50
RVS099	25	22	M-8	4	45
RVS084	25	25	M-8	5	40
RVS100	25	30	M-8	6	35
RVS101	30	15	M-8	1,5	90
RVS085	30	20	M-8	4	90
RVS102	30	25	M-8	5	85
RVS086	30	30	M-8	6	80
RVS087	30	40	M-8	8	60
RVS103	35	35	M-8	8	90
RVS088	40	20	M-10	4	160
RVS089	40	25	M-10	6	155
RVS090	40	30	M-10	8	150
RVS104	40	35	M-10	8	120
RVS091	40	40	M-10	10	120
RVS092	40	45	M-10	12	110
RVS105	50	20	M-10	4	250
RVS093	50	25	M-10	5,5	250
RVS094	50	30	M-10	8	250
RVS106	50	35	M-10	9	230
RVS095	50	40	M-10	10	220
RVS107	50	45	M-10	11	210
RVS096	50	50	M-10	12	200
RVS108	50	55	M-10	13	200

SOPORTE CILÍNDRICO SERIE H

FIJACIÓN AGUJEROS ROSCADOS




*Bajo pedido podemos fabricar otras medidas

ACCESORIOS PARA PIES NIVELADORES


CASQUILLO ROSCADO PARA TUBO CUADRADO

REFERENCIA	EXTERNO D	ESPESOR TUBO	INTERNO D1	ROSCA	H m/m	H1 m/m	CARGA MAX.
RVS201	30	1,5	27,5	M-10	6	33	550
RVS202	30	1,5	27,5	M-12	6	33	550
RVS203	35	1,5	32,5	M-10	8	43	700
RVS204	35	1,5	32,5	M-12	8	43	700
RVS205	40	1,5	37,5	M-10	8	43	800
RVS206	40	1,5	37,5	M-12	8	43	800
RVS207	40	1,5	37,5	M-14	8	43	800
RVS208	40	2	36,5	M-10	8	43	800
RVS209	40	2	36,5	M-12	8	43	800
RVS210	40	2	36,5	M-14	8	43	800
RVS211	50	1,5	47,5	M-12	10	55	950
RVS212	50	1,5	47,5	M-14	10	55	950
RVS213	50	2,5	45,5	M-12	10	55	950
RVS214	50	2,5	45,5	M-14	10	55	950



CASQUILLO ROSCADO PARA TUBO REDONDO

REFERENCIA	EXTERNO D	ESPESOR TUBO	INTERNO D1	ROSCA	H m/m	H1 m/m	CARGA MAX.
RVS250	30	1	28,5	M-10	6	35	320
RVS251	30	1	28,5	M-12	6	35	320
RVS252	38	1,5	35,5	M-10	8	43	550
RVS253	38	1,5	35,5	M-12	8	43	550
RVS254	42	1,5	39,5	M-12	8	42	650
RVS255	42	1,5	39,5	M-14	8	42	650
RVS256	48	1,5	45,5	M-10	11	49	800
RVS257	48	1,5	45,5	M-12	11	49	800
RVS258	48	1,5	45,5	M-14	11	49	800
RVS259	50	1,5	47,5	M-12	11	49	850
RVS260	50	1,5	47,5	M-14	11	49	850



BASE POLIAMIDA CON ESPIGAS RÓTULA EN ACERO

REFERENCIA	D m/m	ROSCA F	A m/m	B m/m	G m/m	H m/m	H1 m/m	CARGA MAX.
RVS300	40	M-8 X 75	27	75	16,5	102	105	1000
RVS301	40	M-10 X 75	27	75	16,5	102	105	1000
RVS302	50	M-10 X 75	30	75	20	105	108	1100
RVS303	50	M-12 X 75	30	75	20	105	108	1100
RVS304	65	M-14 X 100	36	100	23	136	139	1500



RVS-027 TOPE PORTALÓN



RXX-004 SILENTBLOCK GOMA SUJECCIÓN

